

Create autostart launcher

Un utilitaire **python** / **GTK** afin de créer un script de démarrage automatique suite à une connexion au gestionnaire X.

Fonctionne quelque soit le **Display Manager**.

Dépendances requises

python3, **python3-gi**, **python3-pil**

Modification système

```
ragnarok@valhalla:~/package-debian$ tree create-autostart-launcher
create-autostart-launcher
├── debian
│   ├── changelog
│   ├── compat
│   ├── control
│   ├── copyright
│   └── create-autostart-launcher
│       ├── DEBIAN
│       │   ├── control
│       │   ├── md5sums
│       │   ├── postinst
│       │   └── prerm
│       └── usr
│           └── share
│               ├── applications
│               │   ├── create_autostart_launcher.desktop
│               │   ├── create_autostart_launcher
│               │   ├── apropos.png
│               │   └── create_autostart_launcher.py
│               ├── doc
│               │   ├── create-autostart-launcher
│               │   ├── changelog.gz
│               │   └── copyright
│               └── man
│                   └── man6
│                       └── create_autostart_launcher.6.gz
├── create-autostart-launcher.substvars
├── debhelper-build-stamp
├── files
├── install
├── postinst
├── prerm
├── rules
└── source
    ├── apropos.png
    ├── create_autostart_launcher.6.gz
    ├── create_autostart_launcher.desktop
    └── create_autostart_launcher.py

12 directories, 25 files
```

Création du fichier d'autostart dans le répertoire courant de l'utilisateur




```
/home/$USER/.config/autostart/LeNomDuLanceur.desktop
```

Structure de ce fichier:

```
[Desktop Entry]
```

```
Type=Application  
Name=<Name of application as displayed>  
Exec=<command to execute>  
Icon=<full path to icon>  
Comment=<optinal comments>  
X-GNOME-Autostart-enabled=true
```

Screenshot






GIT

- [[https://github.com/CyrilleBiot/create_autostart_launcher] GIT : sources et packages .deb

Installation

Installation

 Prendre la version la plus à jour

```
wget
https://github.com/CyrilleBiot/create_autostart_launcher/raw/main/create-autostart-launcher_1.2.1_all.deb

# dpkg -i create-autostart-launcher_1.2.1_all.deb
```

Au besoin

```
# apt-get install -f
```

Suppression

```
# dpkg -r create-autostart-launcher
```

From:
<https://cbiot.fr/dokuwiki/> - **Cyrille BIOT**

Permanent link:
<https://cbiot.fr/dokuwiki/python:create-autostart-launcher?rev=1606315299>

Last update: **2020/11/25 14:41**

